

OELSCHLÄGER **METALLTECHNIK**

FREE.STAND 9051



Product:
FREE.STAND 9051

Oelschläger **Metaltechnik** GmbH
Hertzstraße 1-3 | D - 27318 Hoya

Phone: +49 (0) 4251-816-0
E-Mail: info@oelschlaeger.de

OMIT
www.oelschlaeger.de

FREE.STAND 9051

Description

FREE.STAND is an outstanding product in two senses. Starting from a starting height of 650 mm, a further 660 mm of lifting distance can be bridged easily and conveniently at the push of a button. Single and double telescopic - FREE.STAND adapts to your individual ergonomic needs.

And that's not all: The profile cross-section of FREE.STAND is also freely selectable. With the same technical values, we offer our built-in column system variants with round tube, square as well as rectangular profiles. With an identical top frame system, the various built-in column systems can be easily interchanged.

Would you like to learn more about OMT product development?
Call us or send us an e-mail.



Product:
FREE.STAND 9051

Oelschläger **Metalltechnik** GmbH
Hertzstraße 1-3 | D - 27318 Hoya

Phone: +49 (0) 4251-816-0
E-Mail: info@oelschlaeger.de

OMIT

Technical data



Table frame dimensions:

Depth: 600 - 1100 mm
Wide: 800 mm - 2400 mm



Table frame load:

100 kg



Stroke:

660 mm



Power consumption:

On operation: 118 W
On standby: < 0,3 W



Speed:

50 mm/s



Noise level:

≤ 42 dB



Frame color:

RAL 7016 - Anthracite gray
RAL 9002 - Gray white
RAL 9003 - Signal white
RAL 9004 - Signal black
RAL 9006 - White aluminum



Safety shutdown:

SCC inside (Safety Collision Control)
OMT STAND.GUARD G1 Sensor retrofittable



Column dimensions round (RO):

Ø 70 / 65 / 60 mm BUP
Ø 75 / 70 / 65 mm BUP
Ø 60 / 65 / 70 mm USD
Ø 65 / 70 / 75 mm USD



Column dimensions square (SQ):

70 / 65 / 60 mm BUP
75 / 70 / 65 mm BUP
60 / 65 / 70 mm USD
65 / 70 / 75 mm USD



Column dimensions rectangular (RE):

90x60 / 85x55 / 80x50 mm BUP
95x65 / 90x60 / 85x55 mm BUP
80x50 / 85x55 / 90x60 mm USD



Installation lengths:

555 mm
575 mm



Oelschläger **Metalltechnik** GmbH
Hertzstraße 1-3
27318 Hoya
Germany

Phone: +49 (0) 42 51-816-0
Mail: info@oelschlaeger.de
Web: www.oelschlaeger.de

CEO:
Andreas Spreen

Commercial Register:
Walsrode HRB 31030
Court of jurisdiction: Hoya
VAT ID No.: DE 183195508