

OELSCHLÄGER **METALLTECHNIK**

FREE.STAND 9051 BENCH



Product:
FREE.STAND 9051 Bench

Oelschläger **Metaltechnik** GmbH
Hertzstraße 1-3 | D - 27318 Hoya

Phone: +49 (0) 4251-816-0
E-Mail: info@oelschlaeger.de

O|MIT
www.oelschlaeger.de

FREE.STAND 9051 BENCH

Description

BENCH - this is the double workstation from OMT.

With this variant, the user has the option to adjust the work surfaces independently of each other. As with all OMT solutions for ergonomic workstations, a variety of STAND.LEG and drives from the FREE.STAND 9051 are available to implement the function.

Individual and expandable on request:

Interchangeable side decors in combination with the profile variants of our telescopic series offer exceptional scope for design.

Pressed polyester fleece offers a new way of separating workplaces. The high-quality and customizable material in various surface and fabric coverings serves to dampen noise in open-plan offices and also offers a design component.

Would you like to learn more about OMT product development? Call us or send us an e-mail.





Round, Square, Rectangular



In all tube pairings
RE90, SQ70 and R070 mm
available.

Product:
FREE.STAND 9051 Bench

Oelschläger **Metaltechnik** GmbH
Hertzstraße 1-3 | D - 27318 Hoya

Phone: +49 (0) 4251-816-0
E-Mail: info@oelschlaeger.de

O|MIT



Round, Square, Rectangular



In all tube pairings
RE90, SQ70 and R070 mm
available.

Product:
FREE.STAND 9051 Bench

Oelschläger **Metaltechnik** GmbH
Hertzstraße 1-3 | D - 27318 Hoya

Phone: +49 (0) 4251-816-0
E-Mail: info@oelschlaeger.de

O|MIT



Round, Square, Rectangular



In all tube pairings
RE90, SQ70 and R070 mm
available.

Technical data

**Table frame dimensions:**

Depth: 600 - 1100 mm
Wide: 800 - 2400 mm

**Table frame load:**

100 kg/Table

**Stroke:**

660 mm

**Power consumption/Desk:**

On operation: 118 W
On standby: < 0,3 W

**Speed:**

50 mm/s

**Noise level:**

≤ 42 dB

**Frame color:**

RAL 7016 - Anthracite gray
RAL 9002 - Gray white
RAL 9003 - Signal white
RAL 9004 - Signal black
RAL 9006 - White aluminum

**Safety shutdown:**

SCC inside (Safety Collision Control)
OMT STAND.GUARD G1 Sensor retrofittable

**Column dimensions round (RO):**

Ø 70 / 65 / 60 mm BUP
Ø 75 / 70 / 65 mm COVER BUP

**Column dimensions square (SQ):**

70 / 65 / 60 mm BUP
75 / 70 / 65 mm COVER BUP

**Column dimensions rectangular (RE):**

90 / 85 / 80 mm BUP
95 / 90 / 85 mm COVER BUP

**Installation lengths:**

650 - 1310 mm



Oelschläger **Metalltechnik** GmbH
Hertzstraße 1-3
27318 Hoya
Germany

Phone: +49 (0) 42 51-816-0
Mail: info@oelschlaeger.de
Web: www.oelschlaeger.de

CEO:
Andreas Spreen

Commercial Register:
Walsrode HRB 31030
Court of jurisdiction: Hoya
VAT ID No.: DE 183195508